SUPATEXTURE

It's the MelaWood® SupaTexture™ Guide.

Design, manufacture, craft and care





décor paper

MELAWOOD SUPATEXTURE

PG Bison produces SupaWood® SupaTexture™ in accordance with:

SANS 50312: 2015 (EN 312: 2010) (P2)

for BisonBord® substrate; and EN 14322 : 2017 (Table 1)

Applications









vertical

door and drawer frontals

furniture

Deep structure melamine faced board

Any room that feels a bit flat could always do with two design elements to lift it: colour and texture. MelaWood® SupaTexture™ brings both in abundance.

MelaWood® SupaTexture™ has a top face of melamine-impregnated décor paper in a deep structure finish, while its reverse side is in a matching décor in PEEN finish. These are bonded to a quality BisonBord® core for durability and strength.

MelaWood® SupaTexture™ looks as good as it feels.

The introduction of MelaWood® SupaTexture™ into a space's design will elevate it to enviable levels. Its texture combined with its range of rich designs enhances its authenticity and brings a dynamic sense of movement to a room.

MelaWood® SupaTexture™ is particularly appealing when partnered with a solid colour from its fellow MelaWood® range members like MelaWood® SupaMatt™ and MelaWood® SupaGloss™. This contrast allows you to create even more movement in the space as light bounces from one surface to another.

MelaWood® SupaTexture™ is locally manufactured by PG Bison, so it's readily available with technical backup a call away.

For that authentic feel, choose PG Bison's MelaWood® SupaTexture™.



MelaWood® SupaTexture™

 $\mathsf{MelaWood}^{\texttt{@}} \ \mathsf{SupaTexture}^{\mathsf{\tiny TM}} \ \mathsf{sold} \ \mathsf{in} \ \mathsf{pack} \ \mathsf{sizes} \ \mathsf{only}$

Thickness	Pack size	Sheet sizes and tonnage
16mm	20	1.31 tons

Range Samples

MELAWOOD **SUPATEXTURE**











As products, tools, machine technologies, processes and value add activities continuously develop, please always refer back to our website for changes and updated product guidelines at:

https://www.pgbison.co.za

Subject to our standard terms and conditions of sale, PG Bison warrants only the performance properties of our products as set out in our technical data sheets. Please run detailed trials and tests to verify how your established procedure is affected before using any product contained herein in normal production.

DISCLAIMER

Please Note: The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which PG Bison assumes responsibility, legal or otherwise. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. No warranty of fitness for a particular purpose is made. Nothing herein is to be taken as permission, inducement or recommendation to practice any patented invention without a licence.

CUSTOMER SERVICE CENTRE 0860 579 196 JOHANNESBURG 011 897 5200 CAPE TOWN **087 357 7989** DURBAN 087 350 0874 EXPORTS **011 897 5200**









pgbison.co.za

